



# EC-SAFETY DATA SHEET according to EC directive 2001/58/EC MATERIAL SAFETY DATA SHEET

MSDS # CP-1002

Page 1 of 8

#### SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** CAP18-ME<sup>®</sup> Anaerobic Bioremediation Product

SYNONYMS AND ALTERNATE TRADE NAMES: None.

**USE OF SUNSTANCE:** Groundwater remediation.

**COMPANY NAME** 

(US):

**CARUS** CORPORATION

INFORMATION:

**COMPANY ADDRESS:** 

315 Fifth Street Peru, IL 61354, USA

(815) 223-1500

(815) 224-6816 (FAX)

www.caruscorporation.com (Web) salesmkt@carusorporation.com (Email)

**EMERGENCY TELEPHONE:** (800) 435 –6856 (USA)

(815) 223-1500 (Other countries) (800) 424-9300 (CHEMTREC®, USA)

(703) 527-3887 (CHEMTREC®,, Other countries)

**COMPANY NAME** 

(Europe):

CARUS NALON S.L.

**COMPANY ADDRESS:** 

Barrio Nalon, s/n 33100 Trubia-Oviedo

Espana, Spain

(34) 985-785-513 **INFORMATION:** 

**EMERGENCY TELEPHONE:** (34) 985-785-513

#### SECTION 2 HAZARDS IDENTIFICATION

## Hazardous Materials Identification System (HMIS) Ratings:

Health: 1 - Slight Flammability: 1 - Slight Reactivity: 1 - Slight

Personnel Protective Equipment: C: goggles, , apron, and proper gloves.

#### **ACUTE HEALTH EFFECTS**

All components are Generally Recognized As Safe under USDA guidelines.

**EYES:** This product may cause slight eye irritation.

**SKIN CONTACT:** This product may cause slight skin irritation.

**INHALATION:** High vapor or aerosol concentrations may be irritating to nose, throat, and

upper respiratory tract.





# EC- SAFETY DATA SHEET according to EC directive 2001/58/EC MATERIAL SAFETY DATA SHEET

MSDS # CP-1002 Page 2 of 8

**INGESTION:** Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea, and diarrhea.

## **CHRONIC HEALTH EFFECTS**

This material does not contain any chemical listed as a carcinogen or potential carcinogen by OSHA.

#### SECTION 3. HAZARDOUS INGREDIENTS

INGREDIENTS	CAS NUMBER	EC NUMBER	PERCENT
Mixed triacylglycerides, soybean oil Methyl ester, soybean oil HAZARD SYMBOLS: None RISK PHRASES: None SAFETY PHRASES: None	8001-22-7 67784-80-9	232-274-4 267-055-2	80- 100% 0-20%

#### SECTION 4 FIRST AID MEASURES

#### **Eves:**

Immediately flush eyes with large amounts of water for at least 15 minutes holding lids apart to ensure flushing of the entire surface.

#### Skin:

Immediately wash contaminated areas with water. Remove contaminated clothing and footwear. Wash clothing and decontaminate footwear before reuse.

#### **Inhalation:**

Remove person from contaminated area to fresh air.

## **Ingestion:**

Never give anything by mouth to an unconscious or convulsing person. If person is conscious, give large quantities of water or milk. Seek medical attention immediately.

#### SECTION 5. FIRE FIGHTING MEASURES





# EC- SAFETY DATA SHEET according to EC directive 2001/58/EC MATERIAL SAFETY DATA SHEET

MSDS # CP-1002 Page 3 of 8

NFPA\* HAZARD SIGNS

Health Hazard 1 = Materials which under fire conditions would give off

irritating combustion products. (less than 1 hour

exposure)

Materials that on the skin could cause irritation.

Flammability Hazard 1 = Flash point at or above 200 F (93.4 C). Must be preheated for

ignition to occur.

Will burn in air when exposed at 1500 F (815.5 C) for 5

minutes.

Reactivity Hazard 1 = Normally stable material, which can become unstable at

high temperature and pressure.

Special Hazard None

\*National Fire Protection Association 704 (USA)

FLAMMABILITY CLASSIFICATION: Combustible liquid – Class IIIB.

**FLASH POINT:** Greater than 201°F (PMCC method).

**EXTINGUISHING MEDIA:** Dry chemical, water fog, carbon dioxide, foam, or Type K fire extinguishers.

**FIRE / EXPLOSION HAZARDS:** Rags or waste paper soaked with this material may heat and burn spontaneously. Not an explosion hazard.

**FIGHTING PROCEDURES:** Use of self-contained breathing apparatus is recommended. Apply water fog or mist gently. Avoid heavy application of water as it may cause oil to foam or may spread fire by dispersing oil. Avoid contact with hot oil.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of carbon

# SECTION 6. ACCIDENTAL RELEASE MEASURES

#### PERSONAL PRECAUTIONS:

Ensure adequate ventilation. Avoid inhalation and contact with eyes and skin. Personnel should wear protective clothing suitable for the task. Remove all ignition sources and incompatible materials before attempting clean up.

## **ENVIRONMENTAL PRECAUTIONS:**

Do not flush into sanitary sewer system or surface water. If accidental release into the environment occurs, inform the responsible authorities. Keep the product away from drains, sewers, surface and ground water and soil.

## STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Surfaces will be slippery after spillage. Spilled material can be absorbed with earth, sand, vermiculite, cat litter, or other absorbent. Clean area with detergent and water. Large spills can be diked and squeegeed or pumped into a container. All disposals should be in accordance with local, state, and federal agency procedures.



# EC- SAFETY DATA SHEET according to EC directive 2001/58/EC MATERIAL SAFETY DATA SHEET

MSDS # CP-1002 Page 4 of 8

#### SECTION 7 HANDLING AND STORAGE

# WORK/HYGIENIC PRACTICES

Wash hands thoroughly with soap and water after handling the product. Wear proper protective equipment. Remove clothing, if it becomes contaminated.

# **VENTILATION REQUIREMETNS**

Provide sufficient mechanical and/or local exhaust.

## CONDITIONS FOR SAFE STORAGE

Store in accordance with NFPA 30 requirements for Class IIIB combustible liquids. Protect containers from physical damage. Store in a cool, dry area in closed containers. Keep away from heat and flames. Do not store near strong acids or oxidizing agents.

Do not keep soiled rags or other absorbent type materials under high temperature and closed conditions in the presence of oxygen.

#### SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

**EXPOSURE LIMITS:** As an oil mist - 15 mg/m<sup>3</sup> and 5 mg/m<sup>3</sup> respirable (OSHA).

**ENGINEERING CONTROLS:** Provide mechanical local and/or general ventilation.

# PERSONAL PROTECTIVE EQUIPMENT

**EYES:** Use safety glasses or goggles.

**RESPIRATORY:** Not normally needed. If mists are present use a NIOSH-approved respirator for organic vapors.

**SKIN PROTECTION:** Wear rubber or neoprene gloves and footwear, and otherwise normal work clothing.

## SECTION 9. CHEMICAL AND PHYSICAL PROPERTIES

**APPEARANCE:** Pale yellow, slightly viscous, oily liquid.

**ODOR:** Faint, bland to slightly sweet odor.

**pH:** Not applicable.

**PERCENT VOLATILE:** Not available. **VAPOR PRESSURE:** Not available.

**VAPOR DENSITY:** Estimated heavier than air.



# EC- SAFETY DATA SHEET according to EC directive 2001/58/EC MATERIAL SAFETY DATA SHEET

MSDS # CP-1002 Page 5 of 8

**BOILING POINT:** Not available.

MELTING POINT: Not applicable (liquid at standard conditions).

**SOLUBILITY:** Insoluble.

**EVAPORATION RATE:** Not applicable.

**SPECIFIC GRAVITY:** Approximately 0.92 (water = 1).

## SECTION 10. STABILITY AND REACTIVITY

**STABILITY:** Stable under normal conditions. Soaked rags or paper may spontaneously combust (see Section 5).

**CONDITIONS TO AVOID:** Heat and exposure to strong acids or oxidizers. High surface area exposures (such as soaked rags or paper) exposed to oxygen can result in polymerization and heat production.

HAZARDOUS POLYMERIZATION: Will not occur.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Methanol may be formed by hydrolysis or saponification.

**INCOMPATIBLE MATERIALS:** Strong acids and oxidizers.

#### SECTION 11 TOXICOLOGICAL INFORMATION

No component is a known or suspected carcinogen or mutagen. The following data are available for individual components:

**EYE EFFECTS:** Minimally irritating. **SKIN EFFECTS:** Non-irritating.

**DERMAL LD**<sub>50</sub>: Minimum of >2000 mg/kg (rabbit).

**ORAL LD**<sub>50</sub>: Minimum of >5000 mg/kg (rat).

#### SECTION 12 ECOLOGICAL INFORMATION

# ENTRY TO THE ENVIRONMENT

This product has a low estimated lifetime in the environment, being readily biodegradable.

## **BIOCONCENTRATION POTENTIAL**

This product has a very low bioaccumulative potential.

**AQUATIC TOXICITY** 

No data available.



# EC- SAFETY DATA SHEET according to EC directive 2001/58/EC MATERIAL SAFETY DATA SHEET

MSDS # CP-1002 Page 6 of 8

#### **SECTION 13 DISPOSAL CONSIDERATIONS**

# Waste Disposal:

Disposal of all materials shall be in full and strict compliance with all federal, state, and local regulations pertaining to phosphates. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3.

RCRA P-Series: None listed. RCRA U-Series: None listed.

#### SECTION 14 TRANSPORT INFORMATION

Not regulated by US DOT, Canada TDG, UN, IMDG, IATA regulations

#### **SECTION 15 REGULATORY INFORMATION**

# **US Federal Regulations**

#### TSCA:

All components in this product are listed on the TSCA inventory.

## **Health & Safety Reporting List:**

None of the chemicals in this product are on the Health & Safety Reporting List.

#### **Chemical Test Rules:**

None of the chemicals in this product are under a Chemical Test Rule.

#### Section 12b:

None of the chemicals in this product are listed under TSCA Section 12b.

# **TSCA Significant New Use Rule:**

None of the chemicals in this product have a SNUR under TSCA.

## **CERCLA Hazardous Substances and corresponding RQs:**

None of the chemicals in this product have an RQ.

# **SARA Section 302 Extremely Hazardous Substances:**

None of the chemicals in this product have a TPQ.

#### **SARA Codes:**

Non Applicable

#### Section 313:

None of chemicals in this product are reportable under Section 313.

#### **Clean Air Act:**

This material does not contain any hazardous air pollutants.





# EC- SAFETY DATA SHEET according to EC directive 2001/58/EC MATERIAL SAFETY DATA SHEET

MSDS # CP-1002 Page 7 of 8

This material does not contain any Class 1 or Class 2 Ozone depletors.

#### **Clean Water Act:**

None of the chemicals in this product are listed as Hazardous Substances under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

#### OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA.

#### **FIFRA:**

CAS# 8001-22-7 is found on the on the list of FIFRA Active Ingredients Of Registered Pesticides

#### State:

CAS# 8001-22-7 is found on the on state lists from PA.

# California Prop 65:

California No Significant Risk Level: None of the chemicals in this product are listed.

## **European/International Regulations**

**European Labeling in Accordance with EC Directives:** 

**HAZARD SYMBOLS:** None **RISK PHRASES:** None SAFETY PHRASES: None

**WGK (Water Danger/Protection):** <u>VwVwS</u>: legally effective classification in annex 1 or 2 of the VwVwS (Administrative Regulation on the Classification of Substances Hazardous

to Waters into Water Hazard Classes)

Canada - DSL/NDSL:

Listed in DSL

#### Canada – WHMIS:

None of the components in this product could be classified as hazardous in accordance with the hazard criteria of the Controlled Products Regulations of Canada.

## Canadian Ingredient Disclosure List:

None of the components in this product are listed on the Canadian Ingredient Disclosure List.

## **SECTION 16 OTHER INFORMATION**

NIOSH: National Institute for Occupational Safety and Health

MSHA: Mine Safety and Health Administration

OSHA: Occupational Safety and Health Administration

NTP: National Toxicology Program

IARC: International Agency for Research on Cancer

PEL: Permissible Exposure Limit

DSL/NDSL: The Domestic Substances and the Non-Domestic Substances List (Canada)





# EC- SAFETY DATA SHEET according to EC directive 2001/58/EC MATERIAL SAFETY DATA SHEET

MSDS # CP-1002 Page 8 of 8

TLV-TWA: Threshold Limit Value-Time Weighted Average

CAS: Chemical Abstract Service

EINECS: Inventory of Existing Chemical Substances (European) (EC. No.)

The information contained herein is accurate to the best of our knowledge. However, data, safety standards and government regulations are subject to change and, therefore, holders and users should satisfy themselves that they are aware of all current data and regulations relevant to their particular use of product. CARUS CHEMICAL COMPANY DISCLAIMS ALL LIABILITY FOR RELIANCE ON THE COMPLETENESS OR ACCURACY OR THE INFORMATION INCLUDED HEREIN. CARUS CHEMICAL COMPANY MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTIABILITY OR FITNESS FOR PARTICULAR USE OR PURPOSE OF THE PRODUCT DESCRIBED HEREIN. All conditions relating to storage, handling, and use of the product are beyond the control of Carus Corporation, and shall be the sole responsibility of the holder or user of the product.

CARUS CORPORATION, 315 FIFTH STREET, PERU, IL



Chithambarathanu Pillai

**May 2008** 

is a registered service mark of Carus Corporation. CAP18-ME<sup>®</sup> is a registered trademark of Carus Corporation. Responsible Care<sup>®</sup> is a registered service mark of the American Chemistry Council.